
Branson 00 Series





Everything you'd desire on your perfect sub-compact tractor

-{ including a really affordable price }



If you could start from scratch to design your ideal tractor, the **Branson 00 Series** would probably come pretty close to that perfect tractor. Each design element has been carefully considered to give you a smooth and comfortable ride, combined with easy maintenance, a great warranty plan — and best of all, an affordable price. What more could you want in your perfect sub-compact tractor? With two models, you can choose the horsepower, transmission, tires and implements that best suits your work.



Branson 00 Series Sub-Compact Tractor

	2400	2400h			
NGINE					
Model	A1100N2	A1100N2			
Туре	Vertical, 4 Cycle, Water Cooled, Diesel, EPA Tier 4 Certified				
Combustion System	Swirl Cl	hamber			
Aspiration	Natural	Natural			
Engine HP	24	24			
PTO HP	21	18			
Engine Rated Revolution / RPM	2800	2800			
No. of Cylinders	3	3			
Displacement / cu. in	71.7	71.7			
Type of Air Cleaner	Dry, E	ement			
Fuel Tank Capacity / gal	6.0	6.0			
PERATIONS					
Steering	Power Assist	ed / Hydrostatic			
Clutch	Dry, Si	ngle Plate			
Battery		12V			
Brake	Wet N	Multi. Disc			
RANSMISSION					
Main Shifting	Constant Mesh	HST Hydrostatic			
Forward / Reverse Method	Synchro Shuttle / Manual	Hydrostatic			
Gear Stages (Front & Rear)	6F / 2R	2 Range			
Travel Speed / mph	Forward: .68 - 12.2 / Reverse: .86 - 4.8	Forward: 9.1 - 13.7 Reverse: 4.1 - 13.7			
YDRAULIC SYSTEM					
Туре	No Position Control	Position Control			
3-Point Hitch	Cate	gory 1			
Lift Capacity	1499	1499			
Pump Capacity / gals.	7.4	7.4			
то					
Туре	Live P.T. O. (6	5 Spine shaft)			
Speed / RPM		ion: 2,500 (Mid)			
IMENSIONS					
Overall Length / in.	12	0.7			
Overall Width / in.		1.2			
Overall Height / in.		87.2			
Wheelbase / in.	59.1				
Ground Clearance / in.	12.4				
Weight / lbs.	1,792				
IRES					
Agricultural Tires (AG10)	Front - 6 - 12	Front - 6 - 12 Rear - 9.5 - 16			
Turf Tires (TURF 00)	Front - 23 x 8.5 - 12 Rear - 33 x 12.5 - 16.5				
Industrial Tires (IND 00)	Front - 23 x 8.50 - 12 Rear - 12 - 16.5				

Learn more at our website - bransontractor.com

Design, materials and/or specifications are subject to change without notice and without liability therefore. Specifications are applicable to units sold in Canada, the United States, its territories and possessions, and may vary outside these areas. Contact your local Branson dealer for more information.







Everything you'd desire for your perfect compact tractor

-{ including a really affordable price }



If you could start from scratch to design your ideal tractor, the Branson 10 Series would probably come pretty close to that perfect tractor. Each design element has been carefully considered to give you a smooth and comfortable ride, combined with easy maintenance, a great warranty plan — and best of all, an affordable price. What more could you want in your perfect sub-compact tractor? With customized tires and implements, you can design the tractor that best suits your work.



Branson 10 Series Compact Tractor

	2610h
ENGINE	
Model	A1100N2
Туре	Water Cooled, Diesel
Combustion System	Swirl Chamber
Aspiration	Natural
Engine HP	24
PTO HP	18
Compression Ratio	21.5:1
No. of Cylinders	3
Displacement / cu. in	71.7
Type of Air Cleaner	Single Dry
Fuel Tank Capacity / gal	6.0
OPERATIONS	
Steering	Power Assisted Hydrostatic
Clutch	Dry, Single
Battery	12V
Brake	Wet Disc
TRANSMISSION	
Main Shifting	HST
Forward / Reverse Method	HST
Gear Staging (Front and Rear)	3 Range
Travel Speed / mph	Forward: 4.6 - 16.8 Reverse: 4.6 - 16.8
HYDRAULIC SYSTEM	
Туре	Position Control
3-Point Hitch	Category 1
Lift Capacity at Lift Point / lbs.	1499
Pump Capacity / gals.	7.4
РТО	
Туре	Live P.T.O. (6 Spine shaft)
Speed / RPM	540 / 960 / Option: 2,500 (Mid)
DIMENSIONS	
Overall Length / in.	122.9
Overall Width / in.	53.8
Overall Height / in.	91.3
Wheelbase / in.	65.8
Ground Clearance / in.	16.4
Weight / lbs.	2,106
TIRES	
Industrial Tires (IND00B)	25 x 8.50 x 14 / 14 x 17.5

Learn more at our website - bransontractor.com

Design, materials and/or specifications are subject to change without notice and without liability therefor. Specifications are applicable to units sold in Canada, the United States, its territories and possessions, and may vary outside these areas. Contact your local Branson dealer for more information.



Branson Machinery LLC, 2100 Cedartown Highway, Rome, Georgia 30161

Branson 15 Series Cabs CSTA





Everything you'd desire for your perfect compact tractor

-{ including a really affordable price }-



If you could start from scratch to design your ideal tractor, the Branson 15 Series CABS would probably come pretty close to that perfect tractor. Each design element has been carefully considered to give you a smooth and comfortable ride, combined with easy maintenance, a great warranty plan — and best of all, an affordable price. What more could you want in a perfect compact tractor? With three models, you can choose the horsepower, transmission, tires and implements that best suits your work.



Branson 15 Series Compact Cab Specifications

	3515Ch	4215Ch	4815Ch			
ENGINE						
Model	A2300NA	A2300NA	A2300T			
Туре	Vertical, 4 Cycle, Water Cooled, Diesel, EPA Tier 4 Certified					
Combustion System	Swirl Chamber					
Aspiration	Naturally	Naturally	Turbo Charged			
Engine HP	35	42	48			
PTO HP	30	36	40			
Engine / RPM		2600				
No. of Cylinders		4				
Displacement / cu. in		139.5				
Type of Air Cleaner		Dry, Double Filter Elements				
Fuel Tank Capacity / gal		7.1				
TRANSMISSION						
Main Shift	HST	HST	HST			
Gear Shifting (F & R)	3-Range	3-Range	3-Range			
HYDRAULIC SYSTEM						
Туре	Position Control					
3-Point Hitch	Category 1					
Lift Capacity / lbs.	3306					
Steering Pump Flow GPM @ 2600 RPM	4.97	5	4.97			
Main Pump Flow - GPM @ 2600 RPM	11.1	10.3	11.1			
РТО						
Туре	Independent PTO (6 Spline Shaft)					
Speed / RPM		560				
Power (PTO) @ 2,600 rpm / HP	38.4	38.4	44			
DIMENSIONS						
Overall Length / in.		130				
Overall Width / in.	55.6	55.6	55.6			
Overall Height / in.	89.3	89.3	89.3			
Wheelbase / in.		65.7				
Ground Clearance / in.	13.1					
Weight / lbs.	3664	3664	3664			
TIRES						
Agricultural Tires (AG10)	Front Tires - 7 x 16 / Rear Tires - 12.4 x 24					
Industrial Tires (IND 10)	Front Tires -28 x 8.50 / Rear Tires - 43 x 16 - 20					

Learn more at our website - bransontractor.com

Design, materials and/or specifications are subject to change without notice and without liability therefore. Specifications are applicable to units sold in Canada, the United States, its territories and possessions, and may vary outside these areas. Contact your local Branson dealer for more information.



Branson Machinery LLC, 2100 Cedartown Highway, Rome, Georgia 30161

Printed in the USA • January 2021

Branson 15 Series





Everything you'd desire for your perfect compact tractor



If you could start from scratch to design your ideal tractor, the **Branson 15 Series tractors** would probably come pretty close to that perfect tractor. Each design element has been carefully considered to give you a smooth and comfortable ride, combined with easy maintenance, a great warranty plan — and best of all, an affordable price. What more could you want in a perfect compact tractor? With six models, you can choose the horsepower, transmission, tires and implements that best suits your work. Branson 15 Series compact tractors are also available in CAB models.



Branson 15 Series Compact Tractors - R and h

	2515R	2515h	3015R	3015h	3515R	3515h	4215R	4215h	4815R	4815h
ENGINE										
Model	A1700N6	A1700N6	A1700N3	A1700N3	A1700N2	A1700N2	A2000N2	A2000N2	A2300N2	A2300N2
Туре		Vertical, 4 Cycle, Water Cooled, Diesel, EPA Tier 4 Certified								
Combustion System					Swirl C	hamber				
Aspiration					Nati	urally				
Engine HP	24	25	30	30	35	35	42	42	48	48
PTO HP	21	21	25	25	30	30	36	36	40	40
Engine / RPM	21	00				26	500			•
No. of Cylinders			3	3					4	
Displacement / cu. in			10	4.5				13	39.5	
Type of Air Cleaner					Dry E	lement				
Fuel Tank Capacity / gal					7	'.1				
TRANSMISSION										
Main Shift	Synchro- mesh	HST	Synchro- mesh	HST	Synchro- mesh	HST	Synchro- mesh	HST	Synchro- mesh	HST
Forward / Reverse Method	Synchro Shuttle	-	Synchro Shuttle	-	Synchro Shuttle	-	Synchro Shuttle	-	Synchro Shuttle	-
No. of Traveling Speeds	12F / 12R	3 Range	12F / 12R	3 Range	12F / 12R	3 Range	12F / 12R	3 Range	12F / 12R	3 Range
Traveling Speeds (F / R) mph	12/11.6	15.2/15.2	14.9/14.3	18.7/18.7	14.9/14.3	18.7/18.7	14.9/14.3	18.7/18.7	14.9/14.3	18.77/18.7
HYDRAULIC SYSTEM										
Lift Control Type					Position	n Control				
3-Point Hitch					Cate	gory 1				
Lift Capacity / Ibs.					33	306				
РТО										
Туре				Inc	lependent PT	O (6 Spline Sh	aft)			
Speed / RPM					533 / 79	91 (2600)				
Power (PTO) @ 2,600 rpm / HP	21	21	25	25	30	30	36	36	40	40
DIMENSIONS										
Overall Length / in.	120.9									
Overall Width / in.					5	6.3				
Overall Height / in.	97.3									
Wheelbase / in.	65.7									
Ground Clearance / in.	14.4									
Weight / lbs.	2989	2969	3183	3163	3183	3163	3278	3258	3278	3258
TIRES										
Agricultural Tires (AG 10)		Front Tires - 7 -16 / Rear Tires - 12.4 - 24								
Industrial Tires (IND 10)	Front Tires -28 x 8.50 x 15 / Rear Tires - 43 x 16.00 - 20									

Learn more at our website - bransontractor.com

Design, materials and/or specifications are subject to change without notice and without liability therefore. Specifications are applicable to units sold in Canada, the United States, its territories and possessions, and may vary outside these areas. Contact your local Branson dealer for more information.



Printed in the USA • January 2021



Branson 20 Series Cabs CSTA





Everything you'd desire for your perfect compact tractor

-{ including a really affordable price }-



If you could start from scratch to design your ideal tractor, the Branson 20 Series CABS would probably come pretty close to that perfect tractor. Each design element has been carefully considered to give you a smooth and comfortable ride, combined with easy maintenance, a great warranty plan — and best of all, an affordable price. What more could you want in a perfect compact tractor? With four models, you can choose the horsepower, transmission, tires and implements that best suits your work.



Branson 20 Series Compact Cab Specifications

	4820C	4820Ch	5520C	5520Ch		
ENGINE						
Model	A2300NA	A2300NA	A2300T	A2300T		
Туре	Vertical, 4 Cycle, Water Cooled, Diesel, EPA Tier 4 Certified					
Combustion System	Swirl Chamber					
Aspiration	Naturally	Naturally	Turbo Charged	Turbo Charged		
Engine HP	48	48	55	55		
PTO HP	36	36	44	44		
Engine / RPM		26	500			
No. of Cylinders			4			
Displacement / cu. in		13	39.5			
Type of Air Cleaner		Dry, Double I	Filter Elements			
Fuel Tank Capacity / gal		1	1.8			
RANSMISSION						
Main Shift	Fully Synchronized (4 Speed)	HST	Fully Synchronized (4 Speed)	HST		
Reverse Method	Synchro Shuttle	-	Synchro Shuttle	-		
Gear Shifting (F & R)	16F / 16R	4 Range	16F / 16R	4 Range		
HYDRAULIC SYSTEM						
Туре	Position Control					
3-Point Hitch	Telescopic lower link / Telescopic stabilizers					
Lift Capacity / lbs.		33	306			
Steering Pump Flow GPM @ 2600 RPM	4.97	5	4.97	5		
Main Pump Flow - GPM @ 2600 RPM	11.1 10.3		11.1	10.3		
РТО						
Туре	Independent PTO (6 Spline Shaft)					
Speed / RPM		584 / 79	91 (2600)			
Power (PTO) @ 2,600 rpm / HP	38.4 38.4		44	44		
DIMENSIONS						
Overall Length / in.		12	27.4			
Overall Width / in.		64	~ 72			
Overall Height / in.	94.8 ~97	97.9	97.9	97.9		
Wheelbase / in.		7	1.1			
Ground Clearance / in.	15.5					
Weight / lbs.	4349 4310		4349	4349		
TIRES						
Agricultural Tires	AG 20 - Front - 9.5 x 1	6 / Rear - 12.4 x 28	AG 25 - Front - 9.5 - 16 / Rear - 14.9 - 24			
Industrial Tires	IND 20 - Front -10 - 16.5 / Rear - 420 / 70 - 24 IND 25 - Front - 10-16.5 / Rear - 16.9 - 2			5.5 / Rear - 16.9 - 24		
Turf Tires	TURF 20 - Front - 29 x 12.5 - 15 / Rear - 44 x 18.00 - 20					

Learn more at our website - bransontractor.com

Design, materials and/or specifications are subject to change without notice and without liability therefore. Specifications are applicable to units sold in Canada, the United States, its territories and possessions, and may vary outside these areas. Contact your local Branson dealer for more information.

Branson Machinery LLC, 2100 Cedartown Highway, Rome, Georgia 30161



Branson 20 Series





Everything you'd desire for your perfect compact tractor

-{ including a very affordable price }-



If you could start from scratch to design your ideal tractor, the **Branson 20 Series tractors** would probably come pretty close to that perfect tractor. Each design element has been carefully considered to give you a smooth and comfortable ride, combined with easy maintenance, a great warranty plan — and best of all, an affordable price. What more could you want in a perfect compact tractor? With six models, you can choose the horsepower, transmission, tires and implements that best suits your work. Branson 20 Series tractors are also available in CAB tractor models.



Branson 20 Series Compact Tractors - R and h Models

	3620R	3620h	4820R	4820h	5520R	5520h
ENGINE						
Model	A2300N2	A2300N2	A2300N3	A2300N3	A2300T	A2300T
Туре	Vertical, 4 Cycle, Water Cooled, Diesel, EPA Tier 4 Certified					
Combustion System		Swirl Chamber				
Aspiration	Naturally	Naturally	Naturally	Naturally	Turbo Charged	Turbo Charged
Engine HP	35	35	48	48	55	55
PTO HP	28	29.6	36	36	44	44
Engine / RPM			26	00		
No. of Cylinders	3	3			4	
Displacement / cu. in	10-	4.5		13	9.5	
Type of Air Cleaner			Dry, Double F	ilter Elements		
Fuel Tank Capacity / gal	11.8	11.8		1.	1.8	
TRANSMISSION						
Main Shift	Fully Synchronized (4 Speed)	HST	Fully Synchronized (4 Speed)	HST	Fully Synchronized (4 Speed)	HST
Reverse Method	Synchro Shuttle	-	Synchro Shuttle	-	Synchro Shuttle	-
Gear Shifting (F & R)	16F / 16R	4 Range	16F / 16R	4 Range	16F / 16R	4 Range
HYDRAULIC SYSTEM						
Туре	Position Control					
3-Point Hitch		Te	lescopic lower link /	Telescopic stabiliz	ers	
Lift Capacity / Ibs.			33	06		
Steering Pump Flow GPM @ 2600 RPM			4.97	5	4.97	5
Main Pump Flow - GPM @ 2600 RPM	13.7	13.7	16.1	15.3	16.1	15.3
РТО						
Type			Independent PT0) (6 Spline Shaft)		
Speed / RPM			584 / 79	1 (2600)		
Power (PTO) @ 2,600 rpm / HP	28	29.6	36	36	44	44
DIMENSIONS						
Overall Length / in.	127.4					
Overall Width / in.	64.9					
Overall Height / in.	98.4					
Wheelbase / in.	71.1					
Ground Clearance / in.	15.5					
Weight / lbs.	3714	3714	3831	3831	3836	3836
TIRES						
Agricultural Tires	AG 20 - Front - 9.5 - 16 / Rear - 12.4 - 28 AG 25 - Front - 9.5 - 16 / Rear - 14.9 - 24					- 14.9 - 24
Industrial Tires	IND 20 - Front - 10 - 16.5 / Rear - 420 / 70 - 24 IND 25 - Front - 10 - 16.5 / Rear - 16.9 - 24					r - 16.9 - 24
Turf Tires	TURF 20 - Front - 29 x 12.5 - 15 / Rear - 44 x 18.00 - 20					

Learn more at our website - bransontractor.com

Design, materials and/or specifications are subject to change without notice and without liability therefore. Specifications are applicable to units sold in Canada, the United States, its territories and possessions, and may vary outside these areas. Contact your local Branson dealer for more information.





Branson 2205h





Everything you'd desire on your perfect sub-compact tractor



If you could start from scratch to design your ideal tractor, the **Branson 2205h** would probably come pretty close to that perfect tractor. Each design element has been carefully considered to give you a smooth and comfortable ride, combined with easy maintenance, a great warranty plan — and best of all, an affordable price. What more could you want in a perfect sub-compact tractor? With customized tires and implements, you can design the tractor that best suits your work.



Branson 2205h Series Sub-Compact Tractor

	2205h
ENGINE	
Model	3TNM74F
Туре	Natural Aspiration
Combustion System	Swirl Chamber
Aspiration	Natural
Engine HP	21.5
PTO HP	15.4
Engine / RPM	3200
No. of Cylinders	3
Displacement / cu. in	60.6
Type of Air Cleaner	Single Dry
Fuel Tank Capacity / gal	6.6
DPERATIONS	
Steering	Power Assisted Hydrostatic
Battery	12V
Brake	Wet Disc
RANSMISSION	
Main Transmission Type	HST / Hydrostatic
Number of Speeds	2 Range
Maximum Traveling Speed / mph	Forward - 8.4 / Reverse - 8.8
HYDRAULIC SYSTEM	
Туре	Single Gear Pump with Flow Divider
Lift Control Type	Position
Lift Capacity at Lift Point / lbs.	1100
Pump Capacity / gals.	4.17
Category, 3-Point Hitch	Category 1
PTO	
Type	Independent, Electric/Hydro
Speed / RPM	540
DIMENSIONS	
Overall Length / in.	94.2
Overall Width / in.	44.5
Overall Height / in.	86.6
Wheelbase / in.	53.1
Ground Clearance / in.	8.3
Weight / lbs.	1433
TIRES	
Turf Tires (TURF 05)	18 x 8.50 - 10 26 x 12.00 - 12
Industrial Tires (IND 05)	18 x 8.50 - 10 26 x 12.00 - 12

Learn more at our website - bransontractor.com

Design, materials and/or specifications are subject to change without notice and without liability therefore. Specifications are applicable to units sold in Canada, the United States, its territories and possessions, and may vary outside these areas. Contact your local Branson dealer for more information.






Branson 2505h





Everything you'd desire on your perfect sub-compact tractor

-{ including a really affordable price }-



If you could start from scratch to design your ideal tractor, the **Branson 2505h** would probably come pretty close to that perfect tractor. Each design element has been carefully considered to give you a smooth and comfortable ride, combined with easy maintenance, a great warranty plan — and best of all, an affordable price. What more could you want in a perfect sub-compact tractor? You can choose the tires and implements that best suits your work.



Branson 2505h Sub-Compact Tractor

	2505h
NGINE	
Model	3TNV80R-NSDKFT
Туре	Water Cooled, 4-Cycle Diesel
Combustion System	Swirl Chamber
Aspiration	Natural
Engine HP	24.6
PTO HP	18.8
Engine / RPM	3,000
No. of Cylinders	3
Displacement / cu. in	77.3
Type of Air Cleaner	Single Element
Fuel Tank Capacity / gal	5.8
PERATIONS	
Steering	Power Assisted Hydrostatic
Battery	12V
Brake	Wet Disc
RANSMISSION	
Main Transmission Type	HST / Hydrostatic
Number of Speeds	2 Range
Maximum Traveling Speed / mph	Forward - 11.0 / Reverse - 10.5
IYDRAULIC SYSTEM	
Туре	Position
Category, 3-Point Hitch	Category 1
Lift Capacity at Lift Point / lbs.	1214
Pump Capacity / gals.	4.17
Steering Pump Flow GPM @ 2600 RPM	6
то	
Туре	Independent, Electric/Hydro
Speed / RPM	540
IMENSIONS	
Overall Length / in.	104
Overall Width / in.	45.8
Overall Height / in.	91.3
Wheelbase / in.	57.5
Ground Clearance / in.	9.5
Weight / lbs.	1610
TIRES	
Industrial Tires (IND 05M)	F - 23 x 8.5 - 12 / R - 27 x 12.5 - 15
Industrial Tires (IND 05B)	F - 20 x 8 - 10 / R - 12 - 16.5

Learn more at our website - bransontractor.com

Design, materials and/or specifications are subject to change without notice and without liability therefore. Specifications are applicable to units sold in Canada, the United States, its territories and possessions, and may vary outside these areas. Contact your local Branson dealer for more information.



Branson Machinery LLC, 2100 Cedartown Highway, Rome, Georgia 30161